

CDR 700 - Data Sheet

Agriculture | Radial | R-1 | TL | 7 Years

Salient Features & Benefits

Compact Drive Radial 700, specially designed for Compact Tractor.

Greater Traction

- Optimized Tread design with unique shoulder design.
- Excellent Grip with Maximum performance in field and on road operations.

Less Soil Compaction

- Large Footprint.
- Reduce ground pressure & increases floatation abilities resulting less damage to crops.

High Load carrying capacity

- Optimized radial structure.
- Can carry very high loads reaching up to 65 km/h (40 mph).

Prevent lug shuffling in operation

- First in industry with dual Mud Breakers.
- Provides Excellent self-cleaning properties.

Handling & Comfort

- Better Lug Overlap.
- Excellent driving comfort as well as significant fuel savings.



Machineries



Compact Tractor

Standard: International Standards

Technical Specifications

ECE	Size	Recommended Rim	Alternate Rim	PR & LI/SI	Unloaded Dimension (mm)		Static Load Radius (mm)	Rolling Circumference (mm)	Type
					SW	OD			
E11*106R00/20*7230*00	240/70R16	W8	-	104 D	244	742	342	2219	TL
E11*106R00/19*7231	260/70R16	W8	-	109 D	258	770	353	2303	TL
E11*106R00/19*7233	280/70R16	W8L	-	112 D	272	798	365	2387	TL
E11*106R00/20*10599*00	320/65R16	W10	W9,W11	117 D	319	822	375	2458	TL
E11*106R00/19*7234*00	280/70R18	W9	-	114 D	282	849	390	2539	TL
E11*106R00/20*10600*00	320/65R18	W10	W9,W11	109 D	319	873	400	2611	TL
E11*106R00/19*7248*00	340/65R18	W11	-	113 D	343	899	411	2689	TL
E11*106R00/19*7232*00	260/70R20	W8	-	113 D	258	872	404	2608	TL
E11*106R00/20*7235*00	280/70R20	W9	-	116 D	282	900	416	2692	TL
E11*106R00/19*7244*00	300/70R20	W9	-	120 D	295	952	437	2847	TL
E11*106R00/20*7245*00	320/70R20	W10	-	123 D	319	982	450	2937	TL

The product information presented in this publication is provided for general reference and may be updated or revised without prior notification. Mahansaria Tyres Pvt. Ltd. or its subsidiaries make no guarantees regarding the absence of errors, omissions, or inaccuracies in the material.

All content featured in this publication or on our website is the sole property of Mahansaria Tyres Pvt. Ltd. and is protected under applicable intellectual property and industrial laws. No part of this material may be copied, reproduced, stored, shared, or distributed in any format: digital, print, or otherwise, without obtaining prior written authorisation from Mahansaria Tyres Pvt. Ltd.

Note: All tyres confirm to ETRTO standards.